



Chandler • Arizona
Where Values Make The Difference

MEMORANDUM

Case # 13-15

DATE: August 6th, 2014

TO: MAG Specifications and Details Committee Members

FROM: Warren White, City of Chandler Representative

SUBJECT: Status Update on Proposed Revisions to MAG Sections 101, 601, 603, 615, 618, and Detail 200 (ADDENDUM)

- **601.4.5 Final Backfill:** The material placed above the initial backfill shall be placed in lifts the height of which shall not exceed 2 feet or that which can be effectively compacted depending on the type of material, type of equipment and methods used, ~~and under no circumstances shall exceed 4 feet~~. Compaction requirements shall be per Section 601.4.6. All backfill shall be constructed per Detail 200-1 with the type of replacement noted on the plans or in the special provisions. Unless otherwise noted, backfill under single curb, curb and gutter, sidewalk, driveways, valley gutters, etc. shall be the same as the adjacent street pavement.
- **603.4.5 Final Backfill:** The material placed above the initial backfill shall be placed in lifts the height of which shall not exceed 2 feet or that which can be effectively compacted depending on the type of material, type of equipment and methods used, ~~and under no circumstances shall exceed 4 feet~~. Compaction requirements shall be per Section 601.4.6. All backfill shall be constructed per Detail 200-1 with the type of replacement noted on the plans or in the special provisions. Unless otherwise noted, backfill under single curb, curb and gutter, sidewalk, driveways, valley gutters, etc. shall be the same as the adjacent street pavement.