

<b>Maricopa Association of Governments Building Code Amendments and Standards Manual BCAS #4</b>	
Title: <b>Revision to International Residential Code Table R301.2(1)</b>	
Originally Reviewed by MAG Building Codes Committee: <b>11/14/2001</b>	
Updated by MAG Building Codes Committee: <b>5/15/2013</b>	

**Table R301.2(1)**, insert the following design criteria:

GROUND SNOW LOAD	0 psf
WIND DESIGN Speed	90 mph Exposure B
WIND DESIGN Topographic effects	NO
SEISMIC DESIGN CATEGORY	B
SUBJECT TO DAMAGE FROM Weathering	NEGLIGIBLE
SUBJECT TO DAMAGE FROM Frost Line Depth	12"
SUBJECT TO DAMAGE FROM Termite	MODERATE TO HEAVY
WINTER DESIGN TEMP	34 degrees F
ICE BARRIER UNDERLAYMENT REQUIRED	NO
FLOOD HAZARDS	National Flood Insurance Program 040049"
AIR FREEZING INDEX	0
MEAN ANNUAL TEMP	71.2 degrees F

In footnotes i and j delete "www.ncdc.noaa.gov/fpsf.html" and replace with [www.ncdc.noaa.gov/oa/fpsf/AFI-pubreturn.pdf](http://www.ncdc.noaa.gov/oa/fpsf/AFI-pubreturn.pdf)