

PM-10 CERTIFIED STREET SWEEPER APPLICATION
CMAQ Funding Available for Federal Fiscal Year 2018

General Instructions:

This form is to be used to request federal Congestion Mitigation and Air Quality (CMAQ) funding available through the Maricopa Association of Governments (MAG) for PM-10 certified street sweepers. An estimated **\$1,755,209 in FY 2018 CMAQ funding is available regionwide.**

This application form includes: Part A - Contact Information, Part B - Cost and Funding Information, Part C - Methodology, Part D - Supplemental Information, Part E - Signature, and Part F - Checklist (These 6 parts are in one tab). Separate tabs are provided for Attachment 1 - list of eligible street sweepers for CMAQ reimbursement, Attachment 2 - list of example equipment not eligible for CMAQ reimbursement, and Map - a map of the PM nonattainment areas and monitor locations. Alternative application forms are available upon request.

TRANSMITTAL INSTRUCTIONS and SCHEDULE

Application Submittal Requirements

All applications are due on Monday, **September 25, 2017 by 10:00 a.m.** Both an electronic and printed copy of the application and all attachments are required.

The electronic copy of the application includes the following:

- A completed Excel spreadsheet application in MS Excel format (Please do not send a PDF or Fax instead of the spreadsheet)
- A PDF or FAXed copy of the Excel spreadsheet with the signature block in Part E signed and dated
- A PDF or FAXed copy of all required attachments

The printed copy of the application includes the following:

- A printout of the completed Excel spreadsheet application, with the signature block in Part E signed and dated
- Printed copies of all required attachments

MAG Mailing address

Electronic applications should be sent to the following address:

[mailto: MAG Staff](mailto:MAG Staff)

Printed copies should be addressed as follows:

Maricopa Association of Governments
 ATTN: Teri Kennedy,
 302 N. 1st Avenue, Suite #300,
 Phoenix, AZ 85003.

If a complete, signed electronic copy is received by the submittal deadline, applicants have five working days to submit a printed copy of the application.

Application Workshops and Open Working Group Meeting Schedule*

Date	Time	Room	Event
Monday, August 21, 2017	10:00 - Noon	Saguaro	Workshop on MAG Transportation Programming and Federal Fund Project Applications
Tuesday, September 12, 2017	10:00-11:00 AM	Chaparral	Open Working Group - Federal Fund Project Applications
Tuesday, September 19, 2017	11:00 - Noon	Chaparral	Open Working Group - Federal Fund Project Applications

* All meetings are on the 2nd floor of the MAG Offices at 302 N. 1st Avenue, Phoenix, Az 85003

MAG Contact Information

Contact Name	Phone	E-Mail Address
MAG Offices	602-254-6300	
Teri Kennedy	602-254-6300	TKennedy@azmag.gov
Dean Giles	602-254-6300	DGiles@azmag.gov
Stephen Tate	602-452-5010	State@azmag.gov

PM-10 CERTIFIED STREET SWEEPER APPLICATION
CMAQ Funding Available for Federal Fiscal Year 2018

All information in Parts A, B, C, D and E are required.

PART A - CONTACT INFORMATION

Contact Information

1. Agency Name (Please select one)	Glendale
2. Name:	Torrance McDonald
3. Phone:	623-930-2619
4. E-Mail:	tmcdonald@glendaleaz.com
5. Mailing Address:	6210 West Myrtle, Suite 111
	Glendale, AZ 85301

PART B - FUNDING INFORMATION

6. Please attach a detailed price summary for the proposed equipment from the vendor. Additional costs for optional equipment beyond the specifications necessary for compliance with Rule 1186-certification are not eligible for reimbursement.	Attached.		
7. Funding Information	Amount		
(a) Total Cost of Sweeper	\$273,241		
(b) Total Cost Eligible for Reimbursement (See the Attachment 1 for Rule 1186 List of Eligible Sweepers)	\$273,241		
(c) Costs not eligible for reimbursement. The Local Agency is responsible for these costs. = 7a - 7b (See Attachment 2 for list of example ineligible equipment for CMAQ reimbursement)	\$0		
8. Reimbursement Information	Amount	Funding Type	Share of Eligible Cost (See #7)
(a) Federal Share of Total Cost Eligible for Reimbursement (Cannot be more than 94.3% of Total Eligible Cost for Reimbursement as listed in 7b) = 7b * 94.3%	\$257,666	CMAQ	94.3%
(b) Local Share of Total Cost Eligible for Reimbursement (Cannot be less than 5.7% of Total Cost Eligible for Reimbursement as listed in #7b) = 7b * 5.7%	\$15,575	Local	5.70%
9. Project Funding Based on Information from #7 & #8	Federal Share = 8a	Local Share = 7c + 8b	Total Cost of Sweeper
	\$257,666	\$15,575	\$273,241

PM-10 CERTIFIED STREET SWEEPER APPLICATION
CMAQ Funding Available for Federal Fiscal Year 2018

PART C: METHODOLOGY INFORMATION

Information in Part C is used to calculate a CMAQ cost effectiveness score for the requested street sweeper.

10. The requested PM-10 certified street sweeper will (Select Yes or No for all that apply):

(a) Replace a noncertified street sweeper	No
(b) Expand service area	No
(c) Increase sweeping frequency	Yes
(d) Replace an older certified street sweeper	Yes

11. For the requested sweeper, please provide the information for roadway types in the table below for:

	Arterial Street	Collector Street	Residential Street	Other
(a) Sweeping cycle length (measured in days between sweepings)	30	54	54	
(b) Lane miles to be swept per cycle	148	77	232	
(c) Average weekday traffic per lane being swept	7500	2500	1000	

(d) If values were entered in the "Other" column, please specify what "Other" means:

12. If "expand service area" was "yes" in question #10, please provide the following information for the roadway types in the table below:

	Arterial Street	Collector Street	Residential Street	Other
- Previously unswept lane miles to be swept by the new sweeper:				

If values were entered in the "Other" column, please specify what "Other" means:

13. If "increase sweeping frequency" was "yes" in question #10, please provide the following information for the roadway types in the table below:

	Arterial Street	Collector Street	Residential Street	Other
- Previous cycle length (measured in days between sweepings):	30	90	90	

If values were entered in the "Other" column, please specify what "Other" means:

PM-10 CERTIFIED STREET SWEEPER APPLICATION

CMAQ Funding Available for Federal Fiscal Year 2018

14. If "replace an older PM-10 certified street sweeper" was "yes" in question #10, please provide information in the following boxes: (Note that at least one of a, b, or c must exceed useful life standards.)

(a) Number of hours in service of the sweeper that is being replaced

8,211

Useful life standard: 12,000 hours

Optional: Space for additional comments if needed.

(b) The month and year that the older certified sweeper was put into service (e.g. 4/2001)

Nov-09

Useful life standard: 8 years

Optional: Space for additional comments if needed.

(c) Number of miles (including deadhead miles) on the sweeper that is being replaced

64,719

Useful life standard: 96,000 miles

Optional: Space for additional comments if needed.

(d) An estimate of the percent of time the older sweeper was out of service in the past year due to repairs and maintenance issues

6

(e) Please explain why the older sweeper was out of service.

a/c work, engine shut down issue, preventative maintenance, broom repairs, and brakes.

15. Will the requested certified street sweeper be used to sweep streets within 4 miles of a PM-10 monitor? If yes, please specify which monitor.

[Link to MAG for PM-10 Map](#)

Map ID: 3 Site ID: 40132001 Name: Glendale Address: 6001 West Olive Avenue City: Glendale

Part D - SUPPLEMENTAL INFORMATION:

16. Have local resources been committed such as staff or equipment to support the operation of the PM-10 certified street sweeper? (Please select Yes or No)

Yes

If yes, please provide details (e.g., number, type and cost of employees, equipment, and maintenance).

4 Equipment Operators, \$46,100 average annual salary for each; Annual average O&M estimated at \$40,043.41

17. Please indicate in what geographical area(s) the requested certified street sweeper will operate (e.g., Glendale Ave. to Thomas Rd.; 19th Ave. to Central Ave).

Due to operational needs, this sweeper will be used anywhere within the City of Glendale city limits.

18. Provide a map of the area to be swept by the proposed sweeper.

Please attach a PDF when submitting and transmitting application. If available, please submit a GIS shape showing swept area.

PM-10 CERTIFIED STREET SWEEPER APPLICATION

CMAQ Funding Available for Federal Fiscal Year 2018

19. Please indicate if your agency would be willing to provide MAG with additional information on the requested PM-10 certified street sweeper. (Please select Yes or No)	Yes	
---	-----	--

PM-10 CERTIFIED STREET SWEEPER APPLICATION**CMAQ Funding Available for Federal Fiscal Year 2018**


20. Please indicate the total number of sweepers currently owned and operated by your agency for sweeping streets:

(a) PM-10 certified:	3
(b) Noncertified:	1

PART E - SIGNATURE PAGE

As the jurisdiction's manager/administrator or designated representative, I certify that the information contained in this application is accurate and complete and that the local funds for this project will be included in the sponsoring MAG member agency's local current CIP/TIP or budget document if the project is selected for federal funding.

Signature:



Name: Kevin R. Phelps

Title: City Manager

Date: September 21, 2017

PART F - CHECK LIST (OPTIONAL)

This check list is optional, but is included to facilitate applicant review and verification that all required fields in the form have been completed

Part A - Fields 1- 5 are complete		
Part B - Fields 6-9 are complete		
Part C - Fields 10-15 are complete		
Part D - Fields 16-20 are complete		


RESIDENTIAL STREET SWEEPING Effective June 2016

■ June 2016
■ September 2016
■ December 2016
■ March 2017

■ July 2016
■ October 2016
■ January 2017
■ April 2017

■ August 2016
■ November 2016
■ February 2017
■ May 2017


Residential sweeping of the City is completed once every quarter which includes collector streets



ARTERIAL / DOWNTOWN / INDUSTRIAL SWEEPING

- AREA 1** 51-75 Pinnacle-Union Hills
- AREA 2** 51-75 Union Hills-Cactus
- AREA 3** 43-67 Cactus-Glendale
- AREA 4** 43-115 Northern-Camelback
- AREA 5** Industrial Areas
- 2x a week** Downtown 59-55 Glenn-Lamar
Tuesday and Friday Nights
With sweeping the parallel parking spaces out by hand every Tuesday
- 1x a week** Glendale Ave 55-43 on Friday nights

Every 5 weeks a full cycle of sweeping is completed. Additional sweeping occurs West of 99th Ave on Glendale Ave to Dysart Rd.



Prepared for:
Montana Slack
City of Glendale
6210 W Myrtle Ave
Glendale, AZ 85301
Phone: 623-930-2621


Prepared by:
Cory Thompson
FREIGHTLINER OF ARIZONA
9899 W ROOSEVELT STREET
TOLLESON, AZ 85353
Phone:

A proposal for
City of Glendale

Prepared by
FREIGHTLINER OF ARIZONA
Cory Thompson

Sep 13, 2017

Freightliner M2 106



Components shown may not reflect all spec'd options and are not to scale



Prepared for:
Montana Slack
City of Glendale
6210 W Myrtle Ave
Glendale, AZ 85301
Phone: 623-930-2621

Prepared by:
Cory Thompson
FREIGHTLINER OF ARIZONA
9899 W ROOSEVELT STREET
TOLLESON, AZ 85353
Phone:

Montana Slack,

Please see attached Quote and Specs for 2017 Freightliner M2 chassis with Elgin Eagle sweeper body.

Pursuant to AZ State Contract #ADSP015-093361

Regards,

Cory Thompson



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-16M	M2 PRL-16M (EFF:04/25/17)		
Data Version			
DRL-010	SPECPRO21 DATA RELEASE VER 010		
Interior Convenience/Driver Retention Package			
055-998	NO INTERIOR CONVENIENCE PACKAGE		
Vehicle Configuration			
001-172	M2 106 CONVENTIONAL CHASSIS	5,759	3,503
004-218	2018 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-012	PREP FOR LH PRIMARY STEERING LOCATION AND CUSTOMER SUPPLIED RH SIT-DOWN SECONDARY STEERING LOCATION WITH DUAL INSTRUMENT CLUSTER		
General Service			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-011	FIXED LOAD COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 10000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs		
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 0.0 lbs		

Truck Service

AA3-022	STREET SWEEPER BODY
A88-99D	EXPECTED TRUCK BODY LENGTH : 0.0 ft
AF3-1T6	ELGIN SWEEPER COMPANY
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in

Engine

101-21N	CUM B6.7 200 HP @ 2400 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM
---------	--

Electronic Parameters

79A-065	65 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-021	PTO MODE ENGINE RPM LIMIT - 1350 RPM ADD SUB CODE 79K-027 PTO MODE ENGINE RPM LIMIT- 2200 RPM
79L-011	PTO MODE THROTTLE OVERRIDE - LIMIT TO 1400 RPM ADD SUB CODE 79L-020 PTO MODE THROTTLE OVERRIDE- LIMIT TO 2600 RPM
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED
79P-019	PTO RPM WITH CRUISE SET SWITCH - 1350 RPM ADD SUB CODE 79P-022 PTO RPM WITH CRUISE SET SWITCH- 890 RPM
79Q-004	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM ADD SUB CODE 79Q-019 PTO RPM WITH CRUISE RESUME SWITCH- 890 RPM
79S-007	PTO MODE CANCEL VEHICLE SPEED - 20 MPH ADD SUB CODE 79S-012 PTO MODE CANCEL VECHICLE SPEED- 18 MPH (IN LOW AXLE RANGE)
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
79W-001	ONE REMOTE PTO SPEED
79X-005	REMOTE PTO SPEED 1 SETTING - 900 RPM ADD SUB CODE 79X-022 REMOTE PTO SPEED 1 SETTING- 890 RPM
80G-004	PTO MINIMUM RPM - 900 ADD SUB CODE- 80G-013 PTO MININUM PRM- 890
80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
Engine Equipment			
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
99D-009	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LEFT SIDE OF HOOD)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
104-016	FLOCS OIL EVACUATION FITTING WITH AEROQUIP FD14 FITTING AND DIRECT ACCESS	2	
133-004	ONE PIECE VALVE COVER		
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED		
124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10	
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES, NON FCCC ONLY		
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH	20	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
239-020	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
235-078	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL DPF ATD OR AFTERTREATMENT SYSTEM		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD		
273-035	HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		
266-078	950 SQUARE INCH ALUMINUM RADIATOR		
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK		
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

Transmission

342-1MN	ALLISON 2500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

Transmission Equipment



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS		
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-007	PRIMARY MODE GEARS, 6 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY		
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE		
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
362-292	MUNCIE PTO - MPMCS6BA6705 S1SS		
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-075	DASH MOUNTED T-HANDLE SHIFT CONTROL, PROVIDE 83 INCH CABLE FOR SUPPLIER RELOCATION OF T-HANDLE SHIFTER WITHOUT PARK BRAKE POSITION TO CENTER CONSOLE		
97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346-001	TRANSMISSION OIL CHECK AND FILL		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Equipment			
400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES		
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	FRONT BRAKE DUST SHIELDS	5	
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE		
Front Suspension			
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equipment			
420-051	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		180
421-614	6.14 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-20	-20
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
425-002	REAR BRAKE DUST SHIELDS		
440-006	REAR OIL SEALS		
426-098	HALDEX GOLDSEAL LONGSTROKE HEAVY DUTY 30/36 1-DRIVE AXLE SPRING PARKING CHAMBERS		
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-004	REMOTE MOUNTED REAR AXLE BREATHER(S)		

Rear Suspension

622-150	HENDRICKSON HAS-230 @23,000# REAR SUSPENSION		320
621-011	HENDRICKSON HAS 9.50" RIDE HEIGHT		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
888-047	MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE		
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-010	REAR SHOCK ABSORBERS-ONE AXLE MOUNTED INBOARD		

Brake System

018-002	AIR BRAKE PACKAGE		
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-083	WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER		
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
Trailer Connections			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT		
30L-998	NO HIGH CURRENT TRAILER/BODY CABLE		
Wheelbase & Frame			
545-352	3525MM (139 INCH) WHEELBASE		
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	-250	190
552-1AC	600MM (24 INCH) REAR FRAME OVERHANG		
55W-999	CUSTOM FRAME OVERHANG RANGE 24" OVERHANG		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 73.45 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 70.45 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : -9829.61		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 73.45 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 76.14 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 58.67 in		
553-008	ANGLED END OF FRAME CUT WITH TOP AND BOTTOM FLANGE HOLES		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-021	ANGLED REAR CROSSMEMBER FOR STREET SWEEPERS		
565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassis Equipment			
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS		
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
605-1AB	D15-16004-000 CENTER PUNCH TO MARK CENTERLINE OF REAR SUSPENSION ON FRAME WEB		
606-998	NO TRUCK BODY		
Fuel Tanks			
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	20	
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES	8	
094-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL REAR TIRES		60
Hubs			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20	
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels			
502-717	ACCURIDE 50408 ACCU-LITE 22.5X8.25 10-HUB PILOT 6.16 INSET 2-HAND STEEL DISC FRONT WHEELS		
505-717	ACCURIDE 50408 ACCU-LITE 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS		
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
650-008	AIR CAB MOUNTS		
705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2	
678-001	LH AND RH GRAB HANDLES		
646-009	PAINTED PLASTIC GRILLE		
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
690-002	TUNNEL/FIREWALL LINER		
726-002	DUAL ELECTRIC HORNS		
657-1CV	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-047	LED AERODYNAMIC MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-046	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME		-5
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
74B-080	RH AND LH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	8	
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-013	TINTED WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER		
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-006	GRAY/CHARCOAL FLAT DASH		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-034	PREMIUM INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10
759-003	DUAL PASSENGER SEAT ARMRESTS, NO DRIVER SEAT ARMRESTS		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-017	GRAY CORDURA PLUS CLOTH DRIVER SEAT COVER		
761-017	GRAY CORDURA PLUS CLOTH PASSENGER SEAT COVER		
763-101	BLACK SEAT BELTS		
532-027	ADJUSTABLE STEERING COLUMN, SUPPLIER CONVERSION TO LH AND RH ADJUSTABLE TILT STEERING COLUMNS	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instruments & Controls			
732-004	GRAY DRIVER INSTRUMENT PANEL		
734-004	GRAY CENTER INSTRUMENT PANEL		
870-001	BLACK GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	5	
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2	
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Data Code	Description	Weight Front	Weight Rear
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
8D1-998	NO DETROIT CONNECT SERVICES SELECTED		
8Z1-998	NO ZONAR SERVICES SELECTED		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
869-998	NO MISCELLANEOUS GAUGES		
Design			
065-000	PAINT: ONE SOLID COLOR		
Color			
980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
98K-998	NO FUEL TANK CABINET PAINT		
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX		
963-003	STANDARD E COAT/UNDERCOATING		
Certification / Compliance			
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
Secondary Factory Options			
998-001	CORPORATE PDI CENTER IN-SERVICE ONLY		
99B-012	SHIP TO THIRD PARTY (CHARLOTTE, NC) PRIOR TO DELIVERY		
288-002	CHASSIS WIRING - STANDARD		



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

TOTAL VEHICLE SUMMARY

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	5710 lbs	4263 lbs	9973 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight⁺	5710 lbs	4263 lbs	9973 lbs

Dealer Installed Options

		Weight Front	Weight Rear
FONT	FONTAINE RH SIT DOWN DRIVE	0	0
BALAR	SCHWARZE M6 AVALANCE TE SWEEPER	0	0
Total Dealer Installed Options		0 lbs	0 lbs

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.



Prepared for:
 Montana Slack
 City of Glendale
 6210 W Myrtle Ave
 Glendale, AZ 85301
 Phone: 623-930-2621

Prepared by:
 Cory Thompson
 FREIGHTLINER OF ARIZONA
 9899 W ROOSEVELT STREET
 TOLLESON, AZ 85353
 Phone:

Q U O T A T I O N

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK
 CUM B6.7 200 HP @ 2400 RPM, 2600 GOV, 520 LB/FT @
 1600 RPM
 ALLISON 2500 RDS AUTOMATIC TRANSMISSION WITH
 PTO PROVISION
 RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
 HENDRICKSON HAS-230 @23,000# REAR SUSPENSION
 DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP
 SINGLE FRONT AXLE

12,000# MONO TAPERLEAF FRONT SUSPENSION
 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL
 CAB
 3525MM (139 INCH) WHEELBASE
 11/32X3-1/2X10-15/16 INCH STEEL FRAME
 (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
 600MM (24 INCH) REAR FRAME OVERHANG

	TOTAL # OF UNITS (1)	PER UNIT	TOTAL
VEHICLE PRICE	\$	75,302 \$	75,302
EXTENDED WARRANTY	\$	0 \$	0
DEALER INSTALLED OPTIONS	\$	176,975 \$	176,975
CUSTOMER PRICE BEFORE TAX	\$	252,277 \$	252,277

TAXES AND FEES

TAXES AND FEES	\$	20,964 \$	20,964
OTHER CHARGES	\$	0 \$	0

TRADE-IN

TRADE-IN ALLOWANCE	\$	(0) \$	(0)
--------------------	----	--------	-----

BALANCE DUE	(LOCAL CURRENCY) \$	273,241 \$	273,241
--------------------	----------------------------	-------------------	----------------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

