

**PM-10 CERTIFIED STREET SWEEPER APPLICATION**  
**CMAQ Funding Available for Federal Fiscal Year 2018**

**General Instructions:**

This form is to be used to request federal Congestion Mitigation and Air Quality (CMAQ) funding available through the Maricopa

This application form includes: Part A - Contact Information, Part B - Cost and Funding Information, Part C - Methodology, Part D -

**TRANSMITTAL INSTRUCTIONS and SCHEDULE**

**Application Submittal Requirements**

All applications are due on Monday, **September 25, 2017 by 10:00 a.m.** Both an electronic and printed copy of the application and all attachments are required.

The electronic copy of the application includes the following:

- a. A completed Excel spreadsheet application in MS Excel format (Please do not send a PDF or Fax instead of the spreadsheet)
- b. A PDF or FAXed copy of the Excel spreadsheet with the signature block in Part E signed and dated
- c. A PDF or FAXed copy of all required attachments

The printed copy of the application includes the following:

- a. A printout of the completed Excel spreadsheet application, with the signature block in PartE signed and dated
- b. Printed copies of all required attachments

**MAG Mailing address**

Electronic applications should be sent to the following address:

[mailto: MAG Staff](mailto:MAG Staff)

Printed copies should be addressed as follows:

Maricopa Association of Governments  
 ATTN: Teri Kennedy,  
 302 N. 1st Avenue, Suite #300,  
 Phoenix, AZ 85003.

If a complete, signed electronic copy is received by the submittal deadline, applicants have five working days to submit a printed copy of the application.

**Application Workshops and Open Working Group Meeting Schedule\***

Date	Time	Room	Event
Monday, August 21, 2017	10:00 - Noon	Saguaro	Workshop on MAG Transportation Programming and Federal Fund Project
Tuesday, September 12, 2017	10:00-11:00 AM	Chaparral	Open Working Group - Federal Fund Project Applications
Tuesday, September 19, 2017	11:00 - Noon	Chaparral	Open working Group - Federal Fund Project Applications

\* All meetings are on the 2nd floor of the MAG Offices at 302 N. 1st Avenue, Phoenix, Az 85003

**MAG Contact Information**

Contact Name	Phone	E-Mail Address
MAG Offices	602-254-6300	
Teri Kennedy	602-254-6300	<a href="mailto:TKennedy@azmag.gov">TKennedy@azmag.gov</a>
Dean Giles	602-254-6300	<a href="mailto:DGiles@azmag.gov">DGiles@azmag.gov</a>
Stephen Tate	602-452-5010	<a href="mailto:State@azmag.gov">State@azmag.gov</a>

## PM-10 CERTIFIED STREET SWEEPER APPLICATION

CMAQ Funding Available for Federal Fiscal Year 2018

**All information in Parts A, B, C, D and E are required.**

### PART A - CONTACT INFORMATION

#### Contact Information

1. Agency Name (Please select one)	Phoenix
2. Name:	Eileen Yazzie & Paul Thibado
3. Phone:	602.534.5692 & 602.256.3139
4. E-Mail:	eileen.yazzie@phoenix.gov & paul.thibado@phoenix.gov
5. Mailing Address:	200 W. Washington 5th Floor & 3045 S. 22nd Avenue Phoenix, AZ 85003 & Phoenix, AZ 85009

### PART B - FUNDING INFORMATION

6. Please attach a detailed price summary for the proposed equipment from the vendor. Additional costs for optional equipment beyond the specifications necessary for compliance with Rule 1186-certification are not eligible for reimbursement.	
---	--

7. Funding Information	<b>Amount</b>
(a) Total Cost of Sweeper	<b>\$282,663</b>
(b) Total Cost Eligible for Reimbursement ( See the Attachment 1 for Rule 1186 List of Eligible Sweepers)	
	<b>\$276,983</b>

(c) Costs not eligible for reimbursement. The Local Agency is responsible for these costs. = 7a - 7b ( See Attachment 2 for list of example ineligible equipment for CMAQ reimbursement.)	<b>\$5,680</b>
---	----------------

8. Reimbursement Information	Amount	Funding Type	Share of Eligible Cost (See #7)
(a) Federal Share of Total Cost Eligible for Reimbursement (Cannot be more than 94.3% of Total Eligible Cost for Reimbursement as listed in 7b) = 7b * 94.3%	<b>\$261,195</b>	<b>CMAQ</b>	<b>94.3%</b>
(b) Local Share of Total Cost Eligible for Reimbursement (Cannot be less than 5.7% of Total Cost Eligible for Reimbursement as listed in #7b) = 7b * 5.7%	<b>\$15,788</b>	<b>Local</b>	<b>5.70%</b>
9. Project Funding Based on Information from #7 & #8	<b>Federal Share = 8a</b>	<b>Local Share = 7c + 8b</b>	<b>Total Cost of Sweeper</b>
	<b>\$261,195</b>	<b>\$21,468</b>	<b>\$282,663</b>

**PM-10 CERTIFIED STREET SWEEPER APPLICATION**  
**CMAQ Funding Available for Federal Fiscal Year 2018**

**PART C: METHODOLOGY INFORMATION**

Information in Part C is used to calculate a CMAQ cost effectiveness score for the requested street sweeper.

10. The requested PM-10 certified street sweeper will (Select Yes or No for all that apply):

(a) Replace a noncertified street sweeper	
(b) Expand service area	Yes
(c) Increase sweeping frequency	
(d) Replace an older certified street sweeper	

11. For the requested sweeper, please provide the information for roadway types in the table below for:

	Arterial Street	Collector Street	Residential Street	Other
(a) Sweeping cycle length (measured in days between sweepings)	14	14	90	
(b) Lane miles to be swept per cycle	104	52	200	
(c) Average weekday traffic per lane being swept	8800	5000	500	
(d) If values were entered in the "Other" column, please specify what "Other" means:	(a) Arterial - 10 working days/2 weeks, Collector - 10 working days/2 weeks, Residential - Quarterly every 3 months			

12. If "expand service area" was "yes" in question #10, please provide the following information for the roadway types in the table below:

	Arterial Street	Collector Street	Residential Street	Other
- Previously unswept lane miles to be swept by the new sweeper:	30	2	24	
If values were entered in the "Other" column, please specify what "Other" means:	The City has added 56 linear miles between 2000 and 2017. As new roads have been built in the City, the Maintenance Dept. has added the new roads to their sweeping schedule, without expanding the fleet. In anticipation of this continuing this work effort, the expansion of fleet is needed.			

13. If "increase sweeping frequency" was "yes" in question #10, please provide the following information for the roadway types in the table below:

	Arterial Street	Collector Street	Residential Street	Other

**PM-10 CERTIFIED STREET SWEEPER APPLICATION**  
**CMAQ Funding Available for Federal Fiscal Year 2018**

- Previous cycle length  
 (measured in days  
 between sweepings):  
 If values were entered in  
 the "Other" column,  
 please specify what  
 "Other" means:


## PM-10 CERTIFIED STREET SWEEPER APPLICATION

**CMAQ Funding Available for Federal Fiscal Year 2018**

14. If “replace an older PM-10 certified street sweeper” was "yes" in question #10, please provide information in the following boxes:

(a) Number of hours in service of the sweeper that is being replaced		Useful life standard: 12,000 hours	Optional: Space for additional comments if needed.
(b) The month and year that the older certified sweeper was put into service (e.g. 4/2001)		Useful life standard: 8 years	Optional: Space for additional comments if needed.
(c) Number of miles (including deadhead miles) on the sweeper that is being replaced		Useful life standard: 96,000 miles	Optional: Space for additional comments if needed.
(d) An estimate of the percent of time the older sweeper was out of service in the past year due to repairs and maintenance issues			
(e) Please explain why the older sweeper was out of service.			

15. Will the requested certified street sweeper be used to sweep streets within 4 miles of a PM-10 monitor? If yes, please specify which monitor. <a href="#">Link to MAG for PM-10 Map</a>	Yes, The sweeper to be replaced is part of a fleet that sweeps in our North sweeping area as shown as 35-4 in the attached map. It is within four miles of PM-10 monitors: 9. The North Sweeping area is 4.1 miles away from #17.		
--	---	--	--

**Part D - SUPPLEMENTAL INFORMATION:**

16. Have local resources been committed such as staff or equipment to support the operation of the PM-10 certified street sweeper? (Please select Yes or No)	Yes	
--	-----	--

**PM-10 CERTIFIED STREET SWEEPER APPLICATION**  
**CMAQ Funding Available for Federal Fiscal Year 2018**

<p>If yes, please provide details (e.g., number, type and cost of employees, equipment, and maintenance).</p>	<p>The City has set aside \$49,070 per year in the FY2018 and FY2019 budget years for purchasing sweepers. This amount includes the 5.7% local matching funds, items not eligible for Federal reimbursements, and additional administrative costs.</p> <p>The Street Cleaning Section has a dedicated staff of 44 team members that include 1 team supervisor, 5 foremen, 1 administrative aid, and 37 teammates. This team is responsible for operating 34 street sweepers to meet the City's street sweeping schedules and provide additional 'storm responses' as needed. The Street Cleaning Section is part of the Street Maintenance Division.</p> <p>The Street Maintenance Divisions is the Street Department's largest division and is responsible for maintaining the City's roadways and other assets in the right-of-way. This staff takes care of issues such as asphalt/pothole repair, removal of debris in street, street resurfacing, street sweeping, removal of weeds in unimproved right-of-way, response to ADA issues in the right-of-way, grading/dustproofing alleys, response to storm related issues such as flooded streets and clogged storm drains, and wash maintenance.</p>	
<p>17. Please indicate in what geographical area(s) the requested certified street sweeper will operate (e.g., Glendale Ave. to Thomas Rd.; 19th Ave. to Central Ave).</p>	<p>The North Service area is the area within the City of Phoenix bounded by 87th Ave to 68th Street, New River Road. to Northern Rd. This is shown in the map as area 35-4.</p>	
<p>18. Provide a map of the area to be swept by the proposed sweeper.</p>	<p>Please attach a PDF when submitting and transmitting application. If available, please submit a GIS shape showing swept area.</p>	
<p>19. Please indicate if your agency would be willing to provide MAG with additional information on the requested PM-10 certified street sweeper. (Please select Yes or No)</p>	<p>Yes</p>	

**PM-10 CERTIFIED STREET SWEEPER APPLICATION**  
**CMAQ Funding Available for Federal Fiscal Year 2018**

20. Please indicate the total number of sweepers currently owned and operated by your agency for sweeping streets:

(a) PM-10 certified:	34
(b) Noncertified:	0

**PART E - SIGNATURE PAGE**

As the jurisdiction's manager/administrator or designated representative, I certify that the information contained in this application is accurate and complete and that the local funds for this project will be included in the sponsoring MAG member agency's local current CIP/TIP or budget document if the project is selected for federal funding.

Signature: 

Name: Ray Dovalina, P.E.





Title: Street Transportation Director

Date: 9/18/2017

**PART F - CHECK LIST (OPTIONAL)**


This check list is optional, but is included to facilitate applicant review and verification that all required fields in the form have been completed

Part A - Fields 1- 5 are complete	Yes
Part B - Fields 6-9 are complete	Yes
Part C - Fields 10-15 are complete	Yes
Part D - Fields 16-20 are complete	Yes



Public Streets Existing in 2000  
 Public Streets Existing in 2017

# Bulk Trash Collection and Street Sweeping Areas




### 2015-2016 Street Sweeping Areas

Area	Contact	Phone
35-2	Tony Garcia	(602) 485-5889
35-4	Jimmy Quijada	(602) 534-0231
35-5	Carlos Huerta	(602) 262-5079
35-6	Willie Bruner	(602) 534-0246

Area	Placement Begins On	Collection Begins Week Of
1	Nov. 21, '15	Nov. 30, '15
	Feb. 20, '16	Feb. 29, '16
	May 21, '16	May 30, '16
2	Nov. 28, '15	Dec. 7, '15
	Feb. 27, '16	Mar. 7, '16
	May 28, '16	Jun. 6, '16
3	Dec. 5, '15	Dec. 14, '15
	Mar. 5, '16	Mar. 14, '16
	Jun. 4, '16	Jun. 13, '16
4	Dec. 12, '15	Dec. 21, '15
	Mar. 3, '16	Mar. 12, '16
	Jun. 11, '16	Jun. 20, '16
5	Dec. 19, '15	Dec. 28, '15
	Mar. 19, '16	Mar. 28, '16
	Jun. 18, '16	Jun. 27, '16
6	Dec. 26, '15	Jan. 4, '16
	Mar. 26, '16	Apr. 4, '16
	Jun. 25, '16	Jul. 4, '16
7	Jan. 2, '16	Jan. 11, '16
	Apr. 2, '16	Apr. 11, '16
	Jul. 2, '16	Jul. 11, '16
8	Oct. 1, '16	Oct. 10, '16
	Jan. 9, '16	Jan. 18, '16
	Apr. 9, '16	Apr. 18, '16
9	Oct. 8, '16	Oct. 17, '16
	Jan. 16, '16	Jan. 25, '16
	Apr. 16, '16	Apr. 25, '16
10	Oct. 15, '16	Oct. 24, '16
	Jan. 23, '16	Feb. 1, '16
	Apr. 23, '16	May 2, '16
11	Oct. 22, '16	Oct. 31, '16
	Jan. 30, '16	Feb. 8, '16
	Apr. 30, '16	May 9, '16
12	Oct. 29, '16	Nov. 7, '16
	Feb. 6, '16	Feb. 15, '16
	May 7, '16	May 16, '16
13	Oct. 29, '16	Nov. 7, '16
	Feb. 6, '16	Feb. 15, '16
	May 7, '16	May 16, '16

The non-attainment area is a section of the City of Phoenix that has been determined to have a high concentration of fugitive dust based on results from staged monitoring stations. In an attempt to mitigate the problem, the City of Phoenix has been mandated to sweep the arterial and collector streets within this area 1 time per week while the other arterial and collector streets are swept once every 14 days.





# Exhibit A

Solicitation No.: ADSP014-00003602

Description: Statewide Medium and Heavy Duty Cab and Chassis

State of Arizona  
State Procurement Office  
100 N. 15th Ave, Suite  
201 Phoenix, AZ 85007

## Quote Sheet

State of Arizona Contract

### Medium and Heavy Duty Cab and Chassis

DATE: <u>SEPTEMBER 8, 2017</u>	
CUSTOMER: <u>CITY OF PHOENIX</u>	
State Contract Number: <u>ADSP015-093361</u>	ProcureAZ Line Item Number: <u># 4</u>
Vehicle Description: Make, Model, Vehicle Code, And Trim Level <u>FREIGHTLINER M2 106 CLASS 8</u>	
Base Vehicle Price	\$ <u>74,987.90</u>
Manufacturer Options Upgrades or Upfit/Modifications Requirements - <u>CHASSIS OPTIONS TO FACILITATE MOUNTING BROOM BEAR SWEEPER BODY, MODIFICATIONS INCLUDE "RIGHT HAND DRIVE CONVERSION DEALER ADD-ONS INCLUDE AIR TANK MOD, AIR HOSE IN CAB, WINDOW TINT + SPARE WHEEL + TIRE.</u>	
1. <u>CHASSIS OPTIONS</u>	\$ <u>7,107.98</u>
2. <u>CHASSIS MODIFICATIONS &amp; DLR ADD-ONS</u>	\$ <u>12,515.00</u>
3. <u>ELGIN BROOM BEAR BODY</u>	\$ <u>167,600.00</u>
4.	\$
5.	\$
6.	\$
7.	\$
8.	\$
9.	\$
10.	\$
\$ <u>262,210.88</u>	Subtotal (Including Destination and Options)
\$ <u>INCL.</u>	Upfit/Modification Requirements
\$ <u>20,452.45</u>	SALES TAX
\$ <u>INCL.</u>	TIRE TAX
\$ <u>—</u>	DELIVERY FEE
\$ <u>282,663.33</u>	TOTAL DELIVERED PRICE

Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

## Q U O T A T I O N

### M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 720 LB/FT @ 1300 RPM	12,000# MONO TAPERLEAF FRONT SUSPENSION
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
23082T 23,000# R-SERIES 2-SPEED 48MM BOWL OFFSET SINGLE REAR AXLE	3450MM (136 INCH) WHEELBASE
HENDRICKSON HAS-230 @23,000# REAR SUSPENSION	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8/0.344X10.94 INCH) 80KSI
	600MM (24 INCH) REAR FRAME OVERHANG

	TOTAL # OF UNITS (1)	PER UNIT	TOTAL
VEHICLE PRICE	\$	94,611 \$	94,611
EXTENDED WARRANTY	\$	0 \$	0
DEALER INSTALLED OPTIONS	\$	167,600 \$	167,600
<b>CUSTOMER PRICE BEFORE TAX</b>	<b>\$</b>	<b>262,211 \$</b>	<b>262,211</b>

### TAXES AND FEES

TAXES AND FEES	\$	20,452 \$	20,452
OTHER CHARGES	\$	0 \$	0

### TRADE-IN

TRADE-IN ALLOWANCE	\$	(0) \$	(0)
<b>BALANCE DUE</b>	<b>(LOCAL CURRENCY) \$</b>	<b>282,663 \$</b>	<b>282,663</b>

### COMMENTS:

Projected delivery on \_\_\_ / \_\_\_ / \_\_\_ provided the order is received before \_\_\_ / \_\_\_ / \_\_\_.

### APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X \_\_\_\_\_ Date: \_\_\_ / \_\_\_ / \_\_\_.

**Daimler Truck Financial**

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at [Information@dtfoffers.com](mailto:Information@dtfoffers.com).

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at [www.daimler-truckfinancial.com](http://www.daimler-truckfinancial.com).



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

## S P E C I F I C A T I O N   P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
<b>Price Level</b>			
PRL-16M	M2 PRL-16M (EFF:04/25/17)		
<b>Data Version</b>			
DRL-019	SPECPRO21 DATA RELEASE VER 019		
<b>Interior Convenience/Driver Retention Package</b>			
055-998	NO INTERIOR CONVENIENCE PACKAGE		
<b>Vehicle Configuration</b>			
001-172	M2 106 CONVENTIONAL CHASSIS	5,759	3,503
004-218	2018 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-012	PREP FOR LH PRIMARY STEERING LOCATION AND CUSTOMER SUPPLIED RH SIT-DOWN SECONDARY STEERING LOCATION WITH DUAL INSTRUMENT CLUSTER		
<b>General Service</b>			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE		
A84-1UH	UTILITY HAZMAT BUSINESS SEGMENT		
AA4-011	FIXED LOAD COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 10000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs		
<b>Truck Service</b>			
AA3-022	STREET SWEEPER BODY		
A88-99D	EXPECTED TRUCK BODY LENGTH : 6.0 ft		
A89-99D	BRAKING-EXPECTED CAB TO BODY CLEARANCE : 3.0 in		
AF3-1T6	ELGIN SWEEPER COMPANY		
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		
<b>Engine</b>			
101-22M	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 720 LB/FT @ 1300 RPM	640	30
<b>Electronic Parameters</b>			
79A-075	75 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79G-102	4 MINUTE IDLE SHUTDOWN - TIMER RESET WITH CLUTCH AND SERVICE BRAKE		
* 79K-027	PTO MODE ENGINE RPM LIMIT 2200 RPM		
* 79L-020	PTO MODE THROTTLE OVERRIDE - LIMIT TO 2600 RPM		
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
* 79P-022	PTO RPM WITH CRUISE SET SWITCH - 890 RPM		
* 79Q-019	PTO RPM WITH CRUISE RESUME SWITCH - 890 RPM		
* 79S-012	PTO MODE CANCEL VEHICLE SPEED - 18 MPH		
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
79W-001	ONE REMOTE PTO SPEED		
* 79X-005	REMOTE PTO SPEED 1 SETTING - 900 RPM		
	ADD 79X-022 REMOTE PTO SPEED 1 SETTING- 890 RPM		
* 80G-013	PTO MINIMUM RPM - 890		
80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH		
<b>Engine Equipment</b>			
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
13E-001	STANDARD OIL PAN		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
133-004	ONE PIECE VALVE COVER		
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-098	(2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED STUD BATTERIES		
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-998	NO RETARDER		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-020	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
* 235-078	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL DPF ATD OR AFTERTREATMENT SYSTEM		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD		
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20	
* 267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK		
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

**Transmission**

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
---------	--	-----	----

**Transmission Equipment**

343-321	ALLISON VOCATIONAL PACKAGE 169 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS		
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE		
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
362-1G0	MUNCIE PTO - MPMCS10A1010 H1BX	70	
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

### Front Axle and Equipment

400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
427-001	FRONT BRAKE DUST SHIELDS	5	
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE		
<b>Front Suspension</b>			
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4	
410-001	FRONT SHOCK ABSORBERS		
<b>Rear Axle and Equipment</b>			
* 420-1KG	23082T 23,000# R-SERIES 2-SPEED 48MM BOWL OFFSET SINGLE REAR AXLE		240
* 421-037	6.17/8.42 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-20	-20
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		
425-002	REAR BRAKE DUST SHIELDS		
440-006	REAR OIL SEALS		
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
* 428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
876-004	ELECTRIC OVER AIR CONTROL WITH INDICATOR LAMP FOR 2-SPEED REAR AXLE		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
87C-001	LOW RANGE TWO-SPEED DEFAULT WITH IGNITION OFF		
898-002	AIR SHIFTER FOR 2-SPEED REAR AXLE		
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE		
* 42T-004	REMOTE MOUNTED REAR AXLE BREATHER(S)		
<b>Rear Suspension</b>			
* 622-150	HENDRICKSON HAS-230 @23,000# REAR SUSPENSION		320
* 621-010	HENDRICKSON HAS; REYCO 240 AR, 8.50" RIDE HEIGHT		
* 431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
* 910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
* 439-010	REAR SHOCK ABSORBERS-ONE AXLE MOUNTED INBOARD		
<b>Brake System</b>			
018-002	AIR BRAKE PACKAGE		
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20	
479-015	AIR DRYER FRAME MOUNTED		
* 460-001	STEEL AIR BRAKE RESERVOIRS USING MOUNT PRIMARY TANK OUTBOARD USING BRACKET -A12-15174-000 MOUNT SECONDARY RH INBOARD USING BRACKET -12-21013-00 0		
607-011	CLEAR FRAME RAIL 36 INCHES FROM BACK OF CAB INSIDE/OUTBOARD AND BELOW LH FRAME RAIL		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
<b>Trailer Connections</b>			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
30L-998	NO HIGH CURRENT TRAILER/BODY CABLE		
<b>Wheelbase &amp; Frame</b>			
* 545-345	3450MM (136 INCH) WHEELBASE		
* 546-092	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8/0.344X10.94 INCH) 80KSI	-250	190
* 552-1AC	600MM (24 INCH) REAR FRAME OVERHANG		
* 55W-999	24" FRAME OVERHANG RANGE 24" OVERHANG		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 70.45 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 67.45 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : -9832.61		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 70.45 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 73.14 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 55.67 in		
* 553-008	ANGLED END OF FRAME CUT WITH TOP AND BOTTOM FLANGE HOLES		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
* 572-068	ANGLED REAR CROSSMEMBER FOR ELGIN BROOM BEAR		
* 565-001	STANDARD SUSPENSION CROSSMEMBER		
<b>Chassis Equipment</b>			
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS		
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
489-998	NO TIRE PRESSURE CONTROL/SENSOR		
605-1AB	D15-16004-000 CENTER PUNCH TO MARK CENTERLINE OF REAR SUSPENSION ON FRAME WEB		
* 606-1M7	DRILLING PREP FOR ELGIN PER DRAWING #1108906, REVISION 3		
<b>Fuel Tanks</b>			

Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	20	
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	-5	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
<b>Tires</b>			
093-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES	8	
* 094-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL REAR TIRES		60
<b>Hubs</b>			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20	
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
<b>Wheels</b>			
502-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS		
505-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS		
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
<b>Cab Exterior</b>			
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2	
678-001	LH AND RH GRAB HANDLES		
646-009	PAINTED PLASTIC GRILLE		
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
690-002	TUNNEL/FIREWALL LINER		
726-002	DUAL ELECTRIC HORNS		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-001	(5) AMBER MARKER LIGHTS		
294-094	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TAIL WIRES TO 7 FEET BEYOND END OF FRAME		-5
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
74B-079	RH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRROR WITH TRIPOD BRACKETS	4	
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-003	MANUAL DOOR WINDOW REGULATORS		
663-013	TINTED WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

**Cab Interior**

707-1AK	OPAL GRAY VINYL INTERIOR		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-006	GRAY/CHARCOAL FLAT DASH		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-014	DOMELIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS		
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
756-1J1	BASIC HIGH BACK NON SUSPENSION DRIVER SEAT WITH FORE AND AFT ADJUSTMENT		
760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10
* 759-003	DUAL PASSENGER SEAT ARMRESTS, NO DRIVER SEAT ARMRESTS		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER		
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER		
763-101	BLACK SEAT BELTS		
532-027	ADJUSTABLE STEERING COLUMN, SUPPLIER CONVERSION TO LH AND RH ADJUSTABLE TILT STEERING COLUMNS	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

### Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL		
734-004	GRAY CENTER INSTRUMENT PANEL		
870-001	BLACK GAUGE BEZELS		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-039	(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	5	
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-115	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2	
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-998	NO VEHICLE PERFORMANCE MONITOR	-5	
8D1-998	NO DETROIT CONNECT SERVICES SELECTED		
8Z1-998	NO ZONAR SERVICES SELECTED		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

Data Code	Description	Weight Front	Weight Rear
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
* 882-053	ONE VALVE PARK BRAKE SYSTEM WITH WARNING INDICATOR AND CUSTOMER WIRED AUTOPARK WITH AUTONEUTRAL PREP KIT		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
869-998	NO MISCELLANEOUS GAUGES		
<b>Design</b>			
065-000	PAINT: ONE SOLID COLOR		
<b>Color</b>			
980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
98K-998	NO FUEL TANK CABINET PAINT		
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX		
963-003	STANDARD E COAT/UNDERCOATING		
<b>Certification / Compliance</b>			
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
<b>Secondary Factory Options</b>			
* 998-033	CORPORATE PDI CENTER IN-SERVICE AND OPTION INSTALLATION/MODIFICATION PDI MODIFICATION TO INCREASE ENGINE RPM IN HIGH IDLE WHEN PTO IS ENGAGED. PTO SWITCH MUST BE MOMENTARY STYLE. REFERENCE PDI QUOTE# 0264JB-021717		
99B-012	SHIP TO THIRD PARTY (CHARLOTTE, NC) PRIOR TO DELIVERY		
* 999-999	LH PRIMARY STEERING LOCATION AND FOUNTAIN SUPPLIED RH SIT-DOWN SECONDARY STEERING LOCATION WITH DUAL INSTRUMENT CLUSTER		
* 835-003	J1939 500KBPS TO J1939 250KBPS GATEWAY FOR TELEMATICS, VIRTUAL TECHNICIAN AND BODY BUILDER INTERFACE		
* 288-002	CHASSIS WIRING - STANDARD		



Prepared for:  
 Bonnie Shockley  
 City of Phoenix  
 2441 S 22nd Ave  
 Phoenix, AZ 85009  
 Phone: 602-534-2191

Prepared by:  
 Jim Ross  
 FREIGHTLINER OF ARIZONA  
 9899 W. ROOSEVELT STREET  
 TOLLESON, AZ 85353  
 Phone:

**TOTAL VEHICLE SUMMARY**

**Weight Summary**

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	6593 lbs	4413 lbs	11006 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
<b>Total Weight<sup>+</sup></b>	<b>6593 lbs</b>	<b>4413 lbs</b>	<b>11006 lbs</b>

**Dealer Installed Options**

	Weight Front	Weight Rear
NORWD ELGIN SWEEPER	0	0
<b>Total Dealer Installed Options</b>	<b>0 lbs</b>	<b>0 lbs</b>

(+) Weights shown are estimates only.  
 If weight is critical, contact Customer Application Engineering.



