Chandler • Arizona
Where Values Make The Difference

MEMORANDUM **Case # 17-08**

DATE: August 2, 2017

TO: MAG Specifications and Details Committee Members

FROM: Warren White, City of Chandler Representative

SUBJECT: Proposed Revisions to Curb Ramp Series Details 236 & 237, and Section 340. New Series 238 Details and removal of Details 235-1, 2, & 3. **REVISED**

Purpose: Revisions to current curb ramp details to not imply diagonal usage for new construction (PROWAG) yet still provide various ramp styles needed for different situations. Other revisions include consistency in drafting, construction notes and standard naming terminology for curb ramps: perpendicular, parallel and combination (both parallel and perpendicular aspects). Efforts here are as discussed in ADA Working Group.

8-2-17 Revision Update:

- Revised 236 and 237 Ramp Details – changed cross slope note shown within ramp and landing to “2% MAX CROSS SLOPE (TYP)”, revised note to “4 ROLL CURB”.
- Revised Note 2 on all details removing word “EXPANSION”.
- Revised 236 Ramp Details - cut lines extend through the curb directional rather than perpendicular to the curb.
- Revised 236-1, 236-2, 237-1, 237-2 and 238 Ramp Details – changed landing callout to “5’ MIN (TYP)*” and added “* 4’ ALLOWED WITH AGENCY APPROVAL”.
- Revised 237-3 Detail – ramp flares shown to meet the PC/PT.
- Revised 236-1 Detail – changed curb height between ramps to “CURB HEIGHT 4” MIN” and added potential grade break line connecting ramp landings.
- Revised 238 Ramp Details – changed concrete class back to ‘B’ in Note 1.
- Adding proposed revisions to Section 340 per comments from Bob Herz.

Case 17-08
08-02-17

SECTION 340

CONCRETE CURB, GUTTER, SIDEWALK, CURB RAMPS, DRIVEWAY AND ALLEY ENTRANCE

340.1 DESCRIPTION:

The various types of concrete curb, gutter, sidewalk, curb ramps, driveways and alley entrances shall be constructed to the dimensions indicated on the plans and standard detail drawings.

340.2 MATERIALS:

Concrete shall conform to the requirements of Section 725. Concrete class shall be as noted on the standard details.

Expansion joint filler shall be ½-inch thick preformed bituminous material in compliance with Section 729, unless otherwise noted.

340.2.1 Detectable Warnings: Detectable warnings shall consist of raised truncated domes aligned in a square grid pattern in conformity to the Americans with Disabilities Act Accessibilities Guidelines (ADAAG). Truncated domes shall have the following nominal dimensions: base diameter of 1.0 inches (0.9 inches minimum) top diameter of 50 percent of the base diameter minimum to 65 percent of the base diameter maximum, and height of 0.2 inches. Dome center-to-center spacing of 2.35 inches, measured between the most adjacent domes on the square grid. Dome center-to-center spacing for radial installations shall be 1.6 inches minimum and 2.4 inches maximum with a base-to-base spacing of 0.65 inches minimum. Detectable warning panels shall be installed with the dome spacing and alignment maintained across adjoining panels.

Detectable warnings shall contrast visually with adjoining surfaces, either light-on-dark or dark-on-light. Specific colors to be used shall be approved by the local jurisdictional agency prior to installation. Detectable warnings shall have integral color throughout.

Detectable warning materials shall be durable with a non-slip surface not subject to spalling, chipping, delamination, or separation. All detectable warnings shall be approved by the local jurisdictional agency prior to installation.

Detectable warnings shall be either placed in freshly poured concrete (wet-set) or recessed into pre-formed concrete. Detectable warnings using wet-set placement shall have the bottom of the detectable warning continuously supported by the underlying concrete with no air voids. Detectable warnings placed into pre-formed recesses in the concrete shall have a firm fit without gaps along the edges, and be able to resist movement (i.e. sliding, rocking, or lifting) once in place.

340.3 CONSTRUCTION METHODS:

Existing concrete shall have a clean vertical edge where it is to be joined by new construction. Sawcutting is required when the existing matching edge is not a straight vertical edge.

340.3.1 Subgrade Preparation: The subgrade shall be constructed and compacted true to grades and lines shown on the plans and as specified in Section 301. All soft or unsuitable material shall be removed to a depth of not less than 6 inches below subgrade elevation and replaced with material satisfactory to the Engineer. Removal and replacement of soft or unsuitable materials will be paid for as extra work.

Subgrade classified as marginally expansive or expansive as defined in Table 340-1 shall be treated as follows unless the construction documents require alternative measures for mitigation of expansive soils. The upper 6 inches of marginally expansive soils shall be compacted per Section 301.3 at a moisture content between 0% to 3% above optimum moisture per ASTM D698. Expansive soils shall be considered unsuitable and shall be treated or removed and replaced with material as directed by the Engineer. Alternate corrective measures contained in an existing geotechnical report or new site analysis can be submitted to the Engineer for approval. The submittal of alternative corrective measures must be a recommendation of an Arizona registered engineer and have the professional seal affixed.

Table 340-1			
Description	Percent Fines (– #200 sieve) (1)	Plasticity Index (2)	Additional Testing
Non-expansive	> 20%	≤ 15	None
Potentially expansive		> 15	Perform Swell Test (3)

Description	% Swell (3)
Non-expansive	< 1
Marginally expansive	1 – 3
Expansive	> 3

(1) Tested in accordance with ASTM C117

(2) Tested in accordance with AASHTO T-90 (wet prep per AASHTO T-146)

(3) Swell Test: Samples for swell tests shall be re-molded in accordance with ARIZ 249 (ADOT Materials Testing Manual) to 95% of maximum dry density at optimum moisture as determined by ASTM D698 and tested for one-dimensional expansion in accordance with the applicable portions of ASTM D4546 applying a surcharge of 144 psf.

Material removed for construction shall not be placed on the base and/or surfacing material already in place on the roadway nor shall the excavated material be placed in such a manner as to interfere with access to property or traffic flow in the street.

340.3.2 Formwork: Concrete curbs, gutters and sidewalks shall be constructed by the conventional use of forms, or may be constructed by means of an appropriate machine when approved by the Engineer.

If machines designed specifically for such work and approved by the Engineer are used, the results must be equal to or better than that produced by the use of forms. If the results are not satisfactory to the Engineer, the use of the machine shall be discontinued and the Contractor shall make necessary repairs at his own expense. All applicable requirements of construction by use of forms shall apply to the use of machines.

Forms conforming to the dimensions of the curb, gutter, sidewalk, curb ramps, driveway, and alley entrance shall be carefully set to line and grade, and securely staked in position. The forms and subgrade shall be watered immediately in advance of placing concrete.

Forms shall be thoroughly cleaned each time they are used, and shall be coated with a light oil, or other releasing agent of a type which will not discolor the concrete.

340.3.3 Concrete Placement: The concrete shall be thoroughly spaded away from the forms so that there will be no rock pockets next to the forms. The concrete may be compacted by mechanical vibrators approved by the Engineer. Tamping or vibrating shall continue until the mortar flushes to the surface, and the coarse aggregate is below the concrete surface. The surface shall then be struck off and worked to grade and cross section with a float.

If machine placement is used, the machine shall place, consolidate and finish the concrete in one complete pass, requiring a minimum of hand finishing producing a dense and homogeneous section. A form shall trail behind the machine for such a distance that no appreciable concrete slumping will occur. Final finishing shall be as specified in Section 340.3.7, Form Removal and Finishing.

340.3.4 Joints: Shall be constructed in a straight line, vertical plane and perpendicular to the longitudinal line of the sidewalk, curb and gutter, single curb, etc., except in cases of curved alignment, where they shall be constructed along the radial lines of the curve.

Curb and gutter joints shall match the location of concrete pavement joints when abutting concrete pavement.

The space between joints in curbs and gutters (space between contraction joints or between contraction and expansion joints) shall not exceed ten feet.

Sidewalk that abuts curb or gutter shall have joints that match the curb or gutter joints.

The space between sidewalk joints shall not exceed 125% of the sidewalk width (for example: maximum joint spacing for 5 foot wide sidewalk is 6.25 feet).

340.3.4.1 Expansion Joints: Expansion joints shall be constructed to the full depth and width of the concrete. The expansion joint material shall extend fully through the concrete and one inch into the subgrade with the top of the expansion joint material one-quarter inch below the top surface. Expansion joint material shall be secured in place prior to placement of concrete.

Expansion joints shall be installed along all abutting structures to provide complete separation from the structure.

Sidewalk, curb, and gutter expansion joints shall be installed at all radius points, at both sides of each driveway, at both sides of each alley entrance. The maximum distance between expansion joints shall be 50 feet.

340.3.4.2 Contraction Joints: Unless otherwise specified, the large aggregate in contraction joints shall be separated to either side of the joint for a minimum depth equal to 25% of the concrete thickness; the finished depth shall be a minimum of 3/4 inch.

340.3.5 Edges: All exposed edges shall be shaped with a suitable tool to form edges having the shape as indicated on the referenced detail.

340.3.6 Detectable Warnings: Detectable warnings shall be installed perpendicular to the direction of pedestrian/wheelchair travel and have a minimum width of 24 inches measured perpendicular to the edge of the roadway or rail crossing. The base surface of detectable warnings shall be installed flush with the adjacent walkway surface; the truncated domes shall extend above the walkway surface. The boundary between detectable warnings and the adjacent walkway shall provide a flush uniform surface that will not cause ponding of water nor present a tripping hazard. Partial domes at the edge of the detectable warning shall be made flush to match the base surface of the detectable warning. Detectable warnings installed on curb ramps shall extend the full width of the ramp depression.

~~Detectable warnings installed on curb ramps shall modify the sidewalk concrete thickness at the detectable warning to provide a minimum concrete thickness of four inches (4”).~~ When detectable warnings are modules inset into the curb ramp, the bottom surface of the sidewalk shall be lowered a distance equal to or greater than the module thickness to maintain the minimum sidewalk thickness. The sidewalk bottom surface shall have a minimum transition taper length of 12” between the thickened and normal depth sections of sidewalk. The detectable warning surface shall be located so that the edge nearest the curb line is 6 inches minimum and 8 inches maximum back from the face of curb.

Detectable warning surfaces for pedestrian at-grade rail crossings not located within a street or highway shall be installed on each side of the rail crossing, located as shown on plans. Detectable warnings shall extend the full width of the pedestrian walkway.

340.3.7 Form Removal and Finishing: The front face form shall not be removed before the concrete has taken initial set and has sufficient strength to carry its own weight. Gutter forms and rear forms shall not be removed until concrete has hardened sufficiently to prevent damage to the edges. Any portion of concrete damaged while stripping forms shall be repaired or replaced at no additional cost to the Contracting Agency.

After the forms are removed, the joints shall be tooled and the surface finished with a float to remove all imperfections. As needed, retool joints after finishing to prevent groove bonding. In all cases, the resulting surface shall be smooth and of uniform color with all rough spots, projections, and form stakes removed. No plastering of the concrete will be allowed. The concrete work shall have a true surface; shall be free from sags, twists, or warps; have a uniform appearance; and be true to the lines, grades, and configurations indicated on the drawings.

Surfaces shall be light broom finished; flow lines shall be troweled for a smooth finish.

If the evaporation rate on the concrete surface exceeds the rate of bleeding of the concrete due to weather conditions, materials used, or for any other reason, and there is any likelihood of the fresh concrete checking or cracking before the curing operation, measures shall be taken to prevent the rapid evaporation of water from the surface during finishing operations. When allowed by the Engineer, the addition of water to the surface may be permitted as an indirect fog spray with approved spray equipment immediately after screeding and/or between finishing operations. A commercial evaporation reducer that forms a monomolecular film may also be sprayed onto the concrete surface in accordance with the manufacturer’s recommendations. At no time will free water/evaporation reducer be worked into the concrete surface. Approved measures shall continue until curing operations per Section 340.3.8, Curing, are started in the particular area affected.

The Contractor shall stamp the company name and year on each end of the sidewalk or curb ramp constructed. The letters shall not be less than 3/4 inch in height and the depth of the stamped impression shall be between 1/8-inch and 1/4-inch.

340.3.8 Curing: As soon after the completion of the finishing operation as the condition of the concrete will permit, all exposed surfaces shall either be sprayed with a pigmented curing compound or sealed with a material conforming to Section 726. Curing compound shall be applied under pressure through a spray nozzle in such manner and quantity as to entirely seal all exposed concrete surfaces with a uniform film. The membrane shall be applied in two applications for a total coverage of 150 square feet per gallon. Concrete surfaces shall be kept damp until the curing compound is applied. Should the curing compound seal be broken or damaged before the expiration of 10 days after the placing of the concrete, the break shall be immediately repaired by the application of additional curing compound over the damaged area.

The need for adequate curing is greatest during the first few hours after placement of the concrete.

340.3.9 Tolerances: The face, top, back, and flow line of the curb and gutter shall not deviate in excess of 1/4-inch over 10 feet, as tested with a 10-foot straightedge or curve template, longitudinally along the surface.

The surface of concrete sidewalk or curb ramp shall not deviate in excess of 1/8-inch over 5 feet as tested with a 5-foot straightedge except for the 1/4-inch recess of the preformed material in expansion joints.

All finished concrete ~~elevations~~ widths and alignments shall not deviate from ~~the elevations shown on~~ the plans, ~~or indicated by~~ typical sections, or standard details referenced within the construction documents~~,~~ by more than 1/2 inch.

When required by the Engineer, gutters shall be water tested. The Contractor shall establish flow in the length of gutter to be tested by supplying and distributing water from a hydrant, tank truck or other source. After the supply of water is shut off and water has stopped flowing, the gutter shall be inspected for evidence of ponding. The work shall be deemed deficient if water is found ponded in the gutter to a depth greater than 1/2 inch or ponding extends onto the adjacent asphalt pavement.

Areas between elevations shown on the plans shall be straight graded or smoothly transitioned through a vertical curve in a manner approved by the Engineer or as otherwise indicated on the construction documents.

Slopes of Pedestrian facilities shall not exceed the maximum grades indicated in ADA guidelines: sidewalk cross slope of 2%, ramp slope of 8.33%, ramp and landing cross slope of 2% and flared side (wing) slope of 10%.

340.3.10 Deficiencies: Any section of the work deficient in depth or not conforming to the plans or specifications shall be removed and replaced by the Contractor at no additional cost to the Contracting Agency. Replacement or reconstruction shall be from joint to joint.

Concrete work that does not comply with ~~tolerance~~ requirements of Section 340.3.9, Tolerances, shall be removed and replaced. Remove and replace gutters that exceed the ponding tolerance. Grinding shall only be allowed if approved by the Engineer.

340.4 BACKFILLING:

Unless otherwise specified the Contractor shall backfill behind the curbs, sidewalk or curb ramps with soil native to the area to the lines and grades shown on the plans.

340.5 MEASUREMENT:

340.5.1 Concrete Curbs and Gutters: The various types of curb and gutter shown on the plans and in the proposal will be measured along gutter flow line through inlets, catch basins, driveways, curb ramps, etc., by the lineal foot to the nearest foot for each type, complete in place. Measurement for curb terminations and transitions shall be included with the linear measurement of the various types of curb or curb and gutter as shown on the plans and in the proposal.

Curb and gutter type shall be based on the configuration of the final exposed surfaces. The increased curb and gutter depth required at valley gutter aprons or driveways shall not be measured as a separate pay item; any additional Contractor cost shall be included in the unit cost associated with the valley gutter, driveway or other associated item.

`

340.5.2 Concrete Flat Work: Sidewalks, driveways, alley intersections, valley gutters and aprons will be measured to the nearest square foot complete in place.

340.5.3 Curb Ramp Installations: Curb ramp installations shall be measured as complete installed units. Curbing (single curb or curb and gutter) located at the edge of roadway shall be measured and paid for separately. The surface area of curb ramps shall not be included in the measured quantity for sidewalk. Detectable warnings are an integral part of curb ramp installations and shall not be measured. Ramp curbs located behind the walkway are an integral part of parallel curb ramp and combination curb ramp installations and shall not be measured.

Unless otherwise indicated by standard details ~~C~~curb ramps located within a curb return shall include the entire curb return area excluding the edge of roadway curbing. Curb ramp installations shall be categorized and measured by curb return radius, the number (one or two) of curb ramps contained within the return, and the type of curb ramps (perpendicular, parallel, or combination).

Each curb ramp not located within a curb return shall be categorized by type and measured as a complete unit. Perpendicular curb ramps shall include the area from the back of curb between the outer edges of the ramp wings to the top of the curb ramp, ending prior to and excluding the top landing. The landing area at the top of the perpendicular curb ramp is to be included in the measured sidewalk area. Parallel and combination curb ramps shall include the ramp curb and all surfaces between the ramp curb and the back edge of the roadway curbing.

340.6 PAYMENT:

Payment will be made in accordance with the unit prices as set forth in the proposal. Such payment shall include full compensation for furnishing all labor, material, tools and equipment and accomplishing all work in conformance with the contract documents.

Over-excavation of soft, expansive or unsuitable materials and installation of granular materials will be paid separately and not included within the above measured pay items.

- End of Section-



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.



SECTION A-A

DETAIL NO.				
236-1	MARICOPA ASSOCIATION of GOVERNMENTS — STANDARD DETAIL ENGLISH	25' - 35' R - RADIAL CURB RAMP ATTACHED SIDEWALK	DRAFT 07–25–2017	DETAIL NO. 236-1



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.



SECTION A-A

DETAIL NO.		STANDARD DETAIL		DRAFT	DETAIL NO.
236-2	MARICOPA ASSOCIATION of GOVERNMENTS	ENGLISH	25' - 35' R - RADIAL CURB RAMP DETACHED SIDEWALK	07–25–2017	236-2



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.

DETAIL NO.		STANDARD DETAIL		DRAFT	DETAIL NO.
236-3	MARICOPA ASSOCIATION of GOVERNMENTS	ENGLISH	20' R - RADIAL CURB RAMP ATTACHED SIDEWALK	07–25–2017	236-3



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.



SECTION A-A

DETAIL NO.		STANDARD DETAIL		DRAFT	DETAIL NO.
236-4	MARICOPA ASSOCIATION of GOVERNMENTS	ENGLISH	25' - 35' R - RADIAL COMBINATION CURB RAMP	07–25–2017	236-4

LEGEND

RAMP CONTROL POINT AT FACE-OF-CURB SEE PLANS (TYP)



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.
7. TYPICALLY USED FOR RETROFITS. REQUIRES AGENCY APPROVAL PRIOR TO USE.



SECTION A-A

DETAIL NO.				
236-5	MARICOPA ASSOCIATION of GOVERNMENTS — STANDARD DETAIL ENGLISH	25' - 35' R - RADIAL PARALLEL CURB RAMP	DRAFT 07–25–2017	DETAIL NO. 236-5

LEGEND

- RAMP CONTROL POINT AT FACE-OF-CURB SEE PLANS (TYP)
- DESIGN ELEVATION SEE PLANS FL = FLOW LINE, FG = FINISHED GRADE



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.
7. WING SLOPE SHALL NOT EXCEED 10% MEASURED PERPENDICULAR TO RAMP.
8. RAMP ALIGNMENT SHOULD CONNECT CONTROL POINT TO CONTROL POINT OF RECEIVING RAMP WITHIN 5 FEET.



SECTION A-A

DETAIL NO.				DRAFT	DETAIL NO.
237-1	MARICOPA ASSOCIATION of GOVERNMENTS	STANDARD DETAIL ENGLISH	25' - 35' R - DIRECTIONAL CURB RAMP ATTACHED SIDEWALK	07–25–2017	237-1

LEGEND

- RAMP CONTROL POINT AT FACE-OF-CURB SEE PLANS (TYP)
- DESIGN ELEVATION SEE PLANS FL = FLOW LINE, FG = FINISHED GRADE



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. DISTANCE BETWEEN RAMPS MAY BE ADJUSTED TO IMPROVE ALIGNMENT WITH RECEIVING RAMP WHEN ALLOWED BY THE JURISDICTIONAL AGENCY.
6. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.
7. WING SLOPE SHALL NOT EXCEED 10% MEASURED PERPENDICULAR TO RAMP.
8. RAMP ALIGNMENT SHOULD CONNECT CONTROL POINT TO CONTROL POINT OF RECEIVING RAMP WITHIN 5 FEET.



SECTION A-A

DETAIL NO.		STANDARD DETAIL		DRAFT	DETAIL NO.
237-2	MARICOPA ASSOCIATION of GOVERNMENTS	ENGLISH	25' - 35' R - DIRECTIONAL CURB RAMP DETACHED SIDEWALK	07–25–2017	237-2

LEGEND

- RAMP CONTROL POINT AT FACE-OF-CURB SEE PLANS (TYP)
- DESIGN ELEVATION SEE PLANS FL = FLOW LINE, FG = FINISHED GRADE



NOTES:

1. CLASS 'A' CONCRETE PER SECTION 725, PC TO PT.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. WALKWAY SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. SPECIAL DESIGN IS REQUIRED FOR GUTTER GRADES GREATER THAN 2%.
6. WING SLOPE SHALL NOT EXCEED 10% MEASURED PERPENDICULAR TO RAMP.
7. RAMP ALIGNMENT SHOULD CONNECT CONTROL POINT TO CONTROL POINT OF RECEIVING RAMP WITHIN 5 FEET.



SECTION A-A

DETAIL NO.		STANDARD DETAIL		DRAFT	DETAIL NO.
237-3	MARICOPA ASSOCIATION of GOVERNMENTS	ENGLISH	20' R - DIRECTIONAL CURB RAMP ATTACHED SIDEWALK	07–25–2017	237-3



SECTION A-A

NOTES:

1. CLASS 'B' CONCRETE PER SECTION 725.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. SIDEWALK SURFACE TO MATCH 1.5% SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.

DETAIL NO.				DRAFT	DETAIL NO.
238-1	MARICOPA ASSOCIATION of GOVERNMENTS	STANDARD DETAIL ENGLISH	PERPENDICULAR CURB RAMP	07-25-2017	238-1



SECTION A-A

NOTES:

1. CLASS 'B' CONCRETE PER SECTION 725.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. SIDEWALK SURFACE TO MATCH 1.5 % SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.

DETAIL NO.		STANDARD DETAIL		DRAFT	DETAIL NO.
238-2	MARICOPA ASSOCIATION of GOVERNMENTS	ENGLISH	COMBINATION CURB RAMP	07–25–2017	238-2





SECTION A-A

NOTES:

1. CLASS 'B' CONCRETE PER SECTION 725.
2. CONSTRUCTION INCLUDING JOINTS AND MAXIMUM SLOPES SHALL CONFORM TO SECTION 340.
3. SIDEWALK SURFACE TO MATCH 1.5 % SLOPE FROM TOP OF CURB.
4. DETECTABLE WARNING IS TO COMPLY WITH THE JURISDICTIONAL AGENCY'S REQUIREMENTS.
5. TYPICALLY USED FOR RETROFITS. REQUIRES AGENCY APPROVAL PRIOR TO USE.

DETAIL NO.				DRAFT	DETAIL NO.
238-3	MARICOPA ASSOCIATION of GOVERNMENTS	STANDARD DETAIL ENGLISH	PARALLEL CURB RAMP	07–25–2017	238-3